



VideoProiezioni.it

Screen
Rigid
frame



Base from 160cm to 800cm (width)

Rigid frame screens are the ideal solution for those looking for a professional screen but with a finish that meets even the highest standards.

They are screens for universal use, perfect both for rental companies and for fixed installations, even in home-cinema environments.

The frame is in aluminum section mm. 78x20 painted matt black, it is assembled very simply and quickly with corner brackets.

The canvas is fixed to the torsion springs on the back of the structure with round rigid PVC bars that run along its perimeter.

This system is very simple, practical and fast. Furthermore, the torsion springs guarantee durability over time and constant tensioning of the fabric.

Details




Assembly of the cloth in the rear part of the frame with steel torsion springs and rigid PVC rods

Steel hooks for mounting the screen on the wall, ceiling or existing structure.



All screens can be supplied with a pair of floor stands (optional)

Section and dimensions of the screen with standard eyelet for wall and ceiling mounting



Screen section and dimensions with optional bracket for wall mounting

Different canvases available

BIANCA

PVC canvas with opaque white front and glossy white back, for universal use. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. Weldable without overlap, flame retardant, cadmium free, washable.

WHITE HI GAIN

Pvc canvas with matt white front and glossy black back. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. The black back is the ideal solution for environments where you cannot have total control of the ambient light. In particular, it acts as a shield in case there are light sources on the back of the screen which could cause interference with the quality of the projection itself. Weldable without overlap, flame retardant, cadmium free, washable.

HIGH CONTRAST GRAY

Pvc canvas with matt gray front and glossy gray back. Excellent flatness, high contrast and wide viewing angle, absence of hot spot effect, perfect light distribution and color uniformity. The special gray surface guarantees high contrast and color rendering. Weldable without overlap, flame retardant, cadmium free, washable.

SOUND

Perforated pvc canvas with opaque white front and glossy white back. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. The holes are 1.2mm in diameter and make this surface acoustically transparent, ideal when the sound source is placed behind the screen. Weldable without overlap, flame retardant, cadmium free, washable.

Different canvases available

MICROPERFORATED SOUND

Perforated pvc canvas with opaque white front and glossy white back. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. The holes are 0.4mm in diameter and make this surface acoustically transparent, ideal when the sound source is placed behind the screen. Weldable without overlap, flame retardant, cadmium free, washable.

REAR PROJECTION PRO

Translucent gray pvc canvas for rear projection, for universal use. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. Weldable without overlap, flame retardant, cadmium free, washable.



MEASUREMENTS AND DIMENSIONS

FORMATO	UTILE PROIEZIONE	INGOMBRO TOTALE	IMBALLO	PESO NETTO	PESO LORDO
1:1	200x200	216x216	233x15x17	15	18
1:1	300x300	316x316	333x15x17	25	30
1:1	400x400	416x416	433x15x17	35	40
4:3	160x120	176x136	193x15x17	11	14
4:3	200x150	216x166	233x15x17	13	16
4:3	250x190	266x206	283x15x17	17	20
4:3	300x225	316x241	333x15x17	22	27
4:3	350x265	366x281	383x15x17	25	30
4:3	400x300	416x316	333x22x22	29	34
4:3	450x338	466x354	360x22x22	34	39
4:3	500x375	516x391	408x22x22	39	45
4:3	550x413	566x429	435x22x22	48	55
4:3	600x450	616x466	483x22x22	58	65
4:3	650x488	666x504	440x22x22	60	68
4:3	700x525	716x541	470x22x22	63	70
16:9	160x90	176x106	193x15x17	11	14
16:9	200x113	216x129	233x15x17	13	16
16:9	250x140	266x156	280x15x17	17	20
16:9	300x169	316x185	333x15x17	22	27
16:9	350x197	366x213	383x15x15	25	30
16:9	400x225	416x241	283x22x22	29	34
16:9	450x253	466x269	300x22x22	34	39
16:9	500x281	516x297	333x22x22	39	45
16:9	550x310	566x326	350x22x22	48	55
16:9	600x338	616x354	383x22x22	58	65
16:9	650x366	666x382	440x22x22	60	68
16:9	700x394	716x410	470x22x22	63	70
16:9	750x422	766x438	490x22x22	68	78
16:9	800x450	816x466	510x22x22	75	85

FORMATO	UTILE PROIEZIONE	INGOMBRO TOTALE	IMBALLO	PESO NETTO	PESO LORDO
16:10	160x100	176x116	193x15x17	11	14
16:10	200x125	216x141	233x15x17	13	16
16:10	250x156	266x172	283x15x17	17	20
16:10	300x188	316x204	333x15x17	22	27
16:10	350x219	366x235	383x15x17	25	30
16:10	400x250	416x266	333x22x22	29	34
16:10	450x281	466x297	360x22x22	34	39
16:10	500x313	516x329	408x22x22	39	45
16:10	550x344	566x360	435x22x22	48	55
16:10	600x375	616x391	483x22x22	58	65
16:10	650x406	666x422	440x22x22	60	68
16:10	700x438	716x454	470x22x22	63	70




ACCESSORIES

DESCRIZIONE	INGOMBRO	IMBALLO	PESO NETTO	PESO LORDO
COPPIA LATI CORNICE DIVISA (oltre alle divisioni standard previste)				
COPPIA STATIVI A "T" IN ALLUMINIO VERNICIATO NERO (fino a 250x190)				
COPPIA STATIVI A "T" IN FERRO VERNICIATO NERO (fino a 400x300)	150x68	16x17x154	12	14
COPPIA STATIVI A "T" IN FERRO VERNICIATO NERO (fino a 600x450)	250x80	16x17x256	22	25
NR. 4 RUOTE PER STATIVI (2 CON FRENO E 2 SENZA), DIAM. 80mm				
CONFEZIONE 100 PZ. MOLLE A TORSIONE				
PIANTONE POSTERIORE VERTICALE IN ALLUMINIO H450				
PIANTONE POSTERIORE VERTICALE IN ALLUMINIO H450 DIVISO A META'				
PIANTONE POSTERIORE VERTICALE IN ALLUMINIO H525				
PIANTONE POSTERIORE VERTICALE IN ALLUMINIO H525 DIVISO A META'				
PIANTONE POSTERIORE VERTICALE IN ALLUMINIO H600				
PIANTONE POSTERIORE VERTICALE IN ALLUMINIO H600 DIVISO A META'				

THANK YOU

VIDEOPROIEZIONI.IT



Videoproiezioni.it

Registered office: Via marsala 36 - 21054 Fagnano Olona (VA)

www.videoproiezioni.it

info@videoproiezioni.it | 030/7778252

Whatsapp: 3386201091

P.Iva 03525040121